


TITAN ALP LOCKING TITANIUM PROXIMAL HUMERUS PLATE 3.5

TITAN



PERFECT BONE FIT
VARIABLE ANGLE

TELIOS





TELIOS ALP LOCKING TITANIUM DISTAL LATERAL & MEDIAL HUMERUS PLATE 2.5 / 3.5

TRAUFIX
READY TO RUN

TELIOS ALP LOCKING TITANIUM DISTAL LATERAL & MEDIAL HUMERUS PLATE 2.5 / 3.5

ANATOMICAL STRUCTURE

OFFSET SCREWS ON THE BODY OF THE PLATE TO AVOID SCREW COLLISION



7 HOLES OF LOCKING VARIABLE ANGLE
(Distal medial Telios)


LOW DISTAL PROFILE **0.70mm**
(Lateral & Medial Plate)

Telios Distal Lateral	Telios Distal Medial
Left (Code 145) / Right (Code 144) Version	Left (Code 147) / Right (Code 146) Version
3, 5, 7 and 9 Shaft holes	2, 4, 6 and 8 Shaft holes

8 HOLES OF LOCKING VARIABLE ANGLE
(Distal lateral Telios)

- 2.5mm TITANIUM CORTEX LOCKING SCREW, TORX DRIVE (**Code 155X**, Length 08mm-30mm)
- 3.5mm TITANIUM CORTEX LOCKING SCREW (**Code 106**, Length 12mm-60mm)
- 3.5mm TITANIUM CANCELLOUS LOCKING SCREW (**Code 107**, Length 12mm-60mm)
- 3.5mm TITANIUM CORTEX SCREW (**Code 112**, Length 12mm-60mm)

TITAN ALP LOCKING TITANIUM PROXIMAL HUMERUS PLATE 3.5



LOW PROXIMAL PROFILE **1 mm**

100% ANATOMICAL

ROUNDED PROFILE PLATE

TITAN
LOW DISTAL PROFILE **3 mm**

TITAN Large
LOW DISTAL PROFILE **5 mm**

9 PROXIMAL POLYAXIAL HOLES OF LOCKING VARIABLE ANGLE $\pm 15^\circ$

Multiple suture holes for soft tissue anchorage in the proximal part. Allows suture after the plate is fixed to bone.




TITAN	TITAN Large
Left (Code 130L) / Right (Code 130R) Version	Left (Code 129L) / Right (Code 129R) Version
3 and 5 Shaft holes	4, 6, 8 and 10 Shaft holes

- 3.5mm TITANIUM CORTEX LOCKING SCREW (**Code 106**, Length 12mm-60mm)
- 3.5mm TITANIUM CANCELLOUS LOCKING SCREW (**Code 107**, Length 12mm-60mm)
- 3.5mm TITANIUM CORTEX SCREW (**Code 112**, Length 12mm-60mm)


TELIOS DISTAL LATERAL & MEDIAL

Specifications



Total Lengths Chart

PLATE	A) LATERAL TELIOS	PLATE	B) MEDIAL TELIOS
HOLES	LT (mm)	HOLES	LT (mm)
3 Holes	107.00	2 Holes	106.00
5 Holes	135.00	4 Holes	134.00
7 Holes	163.00	6 Holes	162.00
9 Holes	191.00	8 Holes	190.00



Titanium Alloy 6Al4V ELI ASTM F136

Special for surgical implants

Design by **TRAUFIX**
READY TO RUN



MADE IN MEXICO



*Refer to 510(k) for cleared devices. Some pictures of devices in this banner are not 510k cleared.





510 (k) K201510
*Consult products

ALP MODULAR SYSTEM | ALL IN ONE KIT

PLATES AND INSTRUMENTS IN ONE KIT | EASY & COMFORTABLE

ALP SMALL FRAGMENTS SET

QTY.	EQUIPMENT
1	Eccentric neutral Drill guide Ø 2.5mm
2	Ø 2.5 / 3.5 Double Drill guide
1	Hexagon screwdriver tip with AO anchor Ø2.5mm
1	Screw extractor tip (with cone tip) Ø2.5mm
1	Countersink tip Ø6mm
1	Reamer Tip (Punch) for Small Fragments Ø 6.5 mm
1	T-Handle with quick coupling (AO)
1	Tap point Ø3.5mm
1	Handle with torque wrench AO anchor Ø1.5 NM
1	Depth gauge stainless steel Ø60mm
2	Guide wire with threaded tip Ø1.1mm
2	Kirschner Wire Ø1.6mm
1	Screwdriver with hexagon tip for 3.5/4.0 w/holder screw Ø2.5mm
1	Drill bit with AO anchor Ø2.5 x 150mm
1	Drill bit with AO anchor Ø2.7 x 150mm
1	Drill bit with AO anchor Ø3.5 x 150mm
2	Drill guide / sleeve Ø2.7mm




ALP SUPPORT EQUIPMENT FOR SMALL FRAGMENTS

QTY.	EQUIPMENT
2	Hohmann spacers (pair) 8/22
2	Mini lane
2	Multitoothed tweezers
2	Field type clamp 13.5mm
1	Kirschner cutter f/pin kirschner
1	Volkman spoon 17cm
1	Gouge forceps 20 cm
1	Triscators for small fragments
1	Osteotome mini lambotte 8mm
1	Osteotome mini lambotte 12mm
1	Periosteal elevator 9 mm
2	Verbrugge clamp 17.5cm
1	Hammer 200 G
1	Field type clamp 20cm
1	16 cm multitoothed tweezers
1	Stop end clamp 120 cm
2	Hexagon screwdriver tip with AO T8 anchor Ø2.5mm
1	Handle with torque AO green 0.8 NM
1	Osteotome mini-lamb Ø3 x 125mm
1	Osteotome mini-lamb Ø4 x 125mm
1	Osteotome mini-lamb Ø6 x 125mm
1	Osteotome mini-lamb Ø8 x 125mm
1	Watchmaker handle with blue AO input Ø2.5mm
2	Drill guide / sleeve Ø2.0 / 2.5mm
2	Drill bit with AO anchor Ø2.0 x 125mm
1	Lionter gauge 50mm
1	Ø 2.0/2.7mm Double Drill guide
1	Adson brown forceps
2	Mini-Hohmann spacer Ø 6mm
2	Kirschner Wire Ø1.1 X 100mm

Our containers for implants and screws are manufactured with **TECAPRO MT** (Heat Stabilized Polypropylene) PP Medical Grade

Ideal material for sterilization containers



TRAUFIX

internationalsales@fixier.com.mx
(+52) 55 8106 3240

www.traufix.com

DIPROMEDIC MEXICO

customerservice@dipromedic.com
(55) 9000 4888/ 89/ 90/ 91

DIPROMEDIC PERU

gustavo.dominguez@dipromedic.com
ventas.interdipro.peru@dipromedic.com
(+51) 947 732 069

 traufix.mx

 traufix